

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ΑI	PLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
	10/712,549	11/13/2003	Ted D. Grabau	06005/39710	9178
	4743 7.	590 04/07/2006	EXAMINER		
		, GERSTEIN & BOR ER DRIVE, SUITE 630	LEE, RIP A		
	SEARS TOWE	•	O .	ART UNIT	PAPER NUMBER
	CHICAGO, IL 60606			1713	

DATE MAILED: 04/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

_			_ (
•		Application No.	Applicant(s)
		10/712,549	GRABAU, TED D.
	Office Action Summary	Examiner	Art Unit
		Rip A. Lee	1713
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the d	correspondence address
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period ver to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status			
2a)⊠	Responsive to communication(s) filed on <u>09 Ja</u> This action is <b>FINAL</b> . 2b) This Since this application is in condition for allower	action is non-final.	osecution as to the merits is
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.
Dispositi	on of Claims		
5)□ 6)⊠ 7)□ 8)□	Claim(s) 34-41 is/are pending in the application 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 34-41 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or on Papers	vn from consideration.	
	·	_	
10)	The specification is objected to by the Examiner The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the o Replacement drawing sheet(s) including the correcti The oath or declaration is objected to by the Ex-	epted or b) objected to by the lidrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).
Priority u	Inder 35 U.S.C. § 119		
12)[/ a)[	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the prior application from the International Bureau see the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage
A44aab	V-1	;	
Attachment 1) ⊠ Notice	e of References Cited (PTO-892)	4) Interview Summary	(PTO-413)
2)	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date	Paper No(s)/Mail Da	

Art Unit: 1713

#### **DETAILED ACTION**

This office action follows a response filed on January 9, 2006. Applicants submit new claims 34-41 with cancellation of original claims 1-33.

## Claim Rejections - 35 USC § 103

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claims 34, 35, 40 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tuckey (U.S. 5,727,529) in view of Yamagishi *et al.* (U.S. 6,003,876), and further in view of Hansen *et al.* (U.S. Patent No. 4,022,114).

Tuckey discloses a fuel pressure control unit that includes a housing that encloses a flexible diaphragm valve. This flexible diaphragm membrane is biased by a spring into direct engagement with another valve (i.e., the device qualifies as "actuator"). As seen in Figure 2, diaphragm 64 is compressed is compressed between two flange structures of body 42 and cap 44. According to the inventors, the diaphragm is made of a flexible acrylonitrile butadiene rubber that may be reinforced with a fabric embedded in the elastomer (col. 4, lines 43-46). Other than this brief description, Tuckey does not elucidate the constitution of this rubber material.

Yamagishi *et al.* teaches a composition comprising 100 phr of nitrile butadiene rubber (1-50 wt % nitrile content; JSR N640H), 45 phr of silica (Carplex 1120), 1 phr of silane coupling agent (KBM 503), 5 phr of DOP plasticizer, and 3 phr of vulcanizing agent (Percumyl D-40) in Table 1, Example 1. The composition has excellent mechanical strength and oil resistance, and it is used as a sealing member.

One of ordinary skill in the art would have found it obvious to use the composition disclosed in Yamagishi et al. as the diaphragm membrane material for the assembly shown in the primary reference because Tuckey instructs that nitrile butadiene rubber is to be used. One of ordinary skill in the art would have found it obvious to use the elastomer formulation of Yamagishi et al. because it has been shown to make an article having similar operation. That is,

Art Unit: 1713

the skilled artisan would find it obvious to use the composition to make a seal, gasket, or membrane (as opposed to a tire tread) especially after having been shown that the composition is moldable into a sealing member. The combination is especially obvious because the NBR in Yamagishi *et al.* has good oil resistance properties. As such, the skilled artisan would have expected with a reasonable expectation of success to make the composition of Yamagishi *et al.* into a diaphragm membrane having good fuel resistance.

Although neither reference discloses coating the flanges with a resin coating composition, one of ordinary skill in the art would have found it obvious to secure the membrane with adhesive in order to prevent slippage of the membrane. Hansen *et al.* shows that conventional adhesives such as epoxy resin works well for adhering materials to diaphragms made from synthetic elastomers (col. 8, lines 24-26). Thus, one of ordinary skill in the art would have found it obvious to use epoxy resin to adhere the diaphragm membrane to the flange structure in the device shown in Tuckey. In this case, the flange would be coated with the adhesive, as claimed.

There is no indication that bonding occurs between plasticizer and resin, however, in view of the fact that the composition of Yamaguchi *et al.* contains plasticizer as recited in the instant claims, a reasonable basis exists to believe that "bonding" will occur between the epoxy resin and the plasticizer as claimed. Since the PTO can not perform experiments, the burden is shifted to the Applicants to establish an unobviousness difference. *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990).

3. Claims 36-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tuckey in view of Yamagishi *et al.* and Hansen *et al.*, and further in view of Hisada (U.S. 3,834,231).

Tuckey teaches that the diaphragm is made of a flexible acrylonitrile butadiene rubber that may be reinforced with a fabric embedded in the elastomer, but the reference is silent as to the nature of the fabric. Hisada teaches oil resistant diaphragms formed from a cloth or fabric that has been coated on both sides with vulcanized NBR to make the fabric impermeable (col. 5, lines 13-17 and 60-66). The fabric that is typically employed for this purpose is polyamide or polyester (col. 5, lines 10-12), and diaphragms incorporating these fabrics exhibit better performance in terms of resilience compared with conventional diaphragms (col. 9, lines 22-33)

Art Unit: 1713

and 47-50). It would have been obvious to one having ordinary skill in the art to use polyamide or polyester reinforced NBR, as shown in Hisada, as the membrane in Tuckey because such an embodiment is contemplated. The combination of teachings is especially obvious because both references relate to use of fabric reinforced NBR as membranes.

### Response to Arguments

4. Applicant's arguments have been considered fully, and they are persuasive with respect to the merits of the *prima facie* case of obviousness based on the references Rotter (U.S. 5,323,750) and Wolff *et al.* (U.S. 4,278,587). Therefore, all rejections set forth in the previous office action have been withdrawn.

### Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1713

Any inquiry concerning this communication or earlier communications from the

Page 5

examiner should be directed to Rip A. Lee whose telephone number is (571)272-1104. The

examiner can be reached on Monday through Friday from 9:00 AM - 5:00 PM. If attempts to

reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu, can be

reached at (571)272-1114. The fax phone number for the organization where this application or

proceeding is assigned is (571)273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on the access to the

Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

ral

March 30, 2006.

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 1700